This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

OPIC OFFICE DE LA PROPRIÉTÉ INTELLECTUELLE DU CANADA

CIPO CANADIAN INTELLECTUAL PROPERTY OFFICE

(12)(19)(CA) Demande-Application

(21)(A1) 2,343,919

(86) 1998/09/22 (87) 2000/03/30

(72) JOMAA, HASSAN, DE

(71) JOMAA, HASSAN, DE

(51) Int.Cl.⁷ C12N 9/90, C12Q 1/48, C12N 9/12, C12N 9/10

(30) 1998/09/22 (198 43 279.8) DE

(30) 1999/05/21 (199 23 567.8) DE

(54) VOIE DE SYNTHESE BIOLOGIQUE DES GENES DES 1-DESOXY-D-XYLULOSE

(54) GENES OF THE 1-DESOXY-D-XYLULOSE BIOSYNTHETIC PATHWAY

(57) The invention relates to the 1-desoxy-D-xylulose-5-phosphate reductoisomerase gene, the 1-desoxy-D-xylulose-5-phosphate-synthase gene and the gcpE gene of the 1-desoxy-D-xylulose biosynthetic pathway and to their use for transforming vectors, host organisms and plants and for determining substances that inhibit this biosynthetic pathway.

PCT

WELTORGANISATION FÜR GEISTIGES EIGENTUM Internationales Buro

INTERNATIONALE ANMELDUNG VERÖFFENTLICHT NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS (PCT)

(51) Internationale Patentklassifikation 7:

C07K 14/00

(11) Internationale Veröffentlichungsnummer:

WO 00/17233

A2

(43) Internationales Veröffentlichungsdatum:

30. Marz 2000 (30.03.00)

(21) Internationales Aktenzeichen:

PCT/EP99/07055

(22) Internationales Anmeldedatum:

22. September 1999

(22.09.99)

(30) Prioritätsdaten:

-

198 43 279.8

199 23 567.8

22. September 1998 (22.09.98) DE

21. Mai 1999 (21.05.99)

DE

(71)(72) Anmelder und Erfinder: JOMAA, Hassan [DE/DE]; Breslauer Strasse 24, D-35398 Gießen (DE).

(74) Anwälte: PANTEN, Kirsten usw.; Reichel und Reichel, Parkstrasse 13, D-60322 Frankfurt am Main (DE).

(81) Bestimmungsstaaten: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DK; DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO Patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), eurasisches Patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), europäisches Patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI Patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Veröffentlicht

Ohne internationalen Recherchenbericht und erneut zu veröffentlichen nach Erhalt des Berichts.

- (54) Title: GENES OF THE 1-DESOXY-D-XYLULOSE BIOSYNTHETIC PATHWAY
- (54) Bezeichnung: GENE DES 1-DESOXY-D-XYLULOSE-BIOSYNTHESEWEGS

(57) Abstract

The invention relates to the 1-desoxy- D-xylulose- 5-phosphate reductoisomerase gene, the 1-desoxy- D-xylulose- 5-phosphatesynthase gene and the gcpE gene of the 1-desoxy- D-xylulose biosynthetic pathway and to their use for transforming vectors, host organisms and plants and for determining substances that inhibit this biosynthetic pathway.

(57) Zusammenfassung

Die vorliegende Erfindung betrifft das 1-Desoxy- D-xylulose- 5-phosphatreduktoisomerase -Gen, das 1-Desoxy- D-xylulose-5-phosphat- Synthase- Gen und das gepE-Gen des 1-Desoxy- D-xylulose- Biosynthesewegs und ihre Verwendung zur Transformation von Vektoren, Wirtsorganismen und Pflanzen und zur Bestimmung von Stoffen, die diesen Biosyntheseweg inhibieren.

Claims

- 1. DNA sequences which code for a polypeptide with the amino acid sequence shown in SEQ ID no. 2 or for an analogue or derivative of the polypeptide according to SEQ ID no. 2, in which one or more amino acids have been deleted, added or replaced by other amino acids, wherein the enzymatic action of the polypeptide is retained, and which sequences originate from parasites, wherein sequence variations occurring within the framework of natural strain variability are included.
- 2. DNA sequences which code for a polypeptide with the amino acid sequence shown in SEQ ID no. 4 or for an analogue or derivative of the polypeptide according to SEQ ID no. 4, in which one or more amino acids have been deleted, added or replaced by other amino acids, wherein the enzymatic action of the polypeptide is retained, and which sequences originate from parasites, wherein sequence variations occurring within the framework of natural strain variability are included.
- 25 3. DNA sequences which code for a polypeptide with the amino acid sequence shown in SEQ ID no. 6 or for an analogue or derivative of the polypeptide according to SEQ ID no. 6, in which one or more amino acids have been deleted, added or replaced by other amino acids wherein the catalytic function of the polypeptide is retained.

10

15

- 1 -

4. DNA sequence according to one of claims 1 to 3, characterised in that it also comprises functional regulation signals, in particular promoters, operators, enhancers, ribosomal binding sites.

5. DNA sequence with the following sub-sequences

- i) promoter which is active in viruses, eukaryotes and prokaryotes and ensures the formation of an RNA in the intended target tissue or target cells,
- ii) DNA sequences according to one of claims 1 to 3,
- iii) 3' untranslated sequence which, in viruses, eukaryotes and prokaryotes, results in the addition of poly(A) residues onto the 3' end of the RNA.
- 6. Process for the production of transgenic viruses, eukaryotes and prokaryotes for modifying the isoprenoid content, characterised in that a DNA sequence according to claim 4 or 5 is transferred and incorporated into the genome of viruses, eukaryotic and prokaryotic cells with or without use of a vector.

25

20

7. Transgenic systems, in particular plants and plant cells which contain one or more DNA sequences according to claims 1 to 5 as "foreign" or "additional" DNA, which sequences are expressed.

30

8. Expression vector containing one or more DNA sequences according to claims 1 to 5.

10

25

-16 -

- 9. Protein which is involved in the 1-deoxy-D-xylulose 5-phosphate metabolic pathway and a) is coded by DNA sequences SEQ ID no. 1, 3 or 5 or b) is coded by DNA sequences which hybridise with DNA sequences SEQ ID no. 1, 3, 5 or fragments of these DNA sequences in the DNA region which codes for the mature protein.
- 10. Protein according to claim 9, obtainable from the culture supernatants of parasites or from the disrupted parasites and purification by chromatographic and electrophoretic methods.
- 11. Protein according to one of claims 9 and 10, characterised in that it a) is the product of viral, prokaryotic or eukaryotic expression of exogenous DNA, b) is coded by sequences SEQ ID no. 1, 3 or 5 or is coded by DNA sequences which hybridise with DNA sequences SEQ ID no. 1, 3, 5 or fragments of these DNA sequences in the DNA region which codes for the mature protein, or c) is coded by DNA sequences which would hybridise without degeneration of the genetic code with the sequences defined in b) and which code for a polypeptide with a corresponding amino acid sequence.
 - 12. Protein according to one of the preceding claims, characterised in that it comprises the amino acid sequences SEQ ID no. 2, 4 or 6.
- 30 13. Process for determining the enzymatic activity of the gcpE protein, characterised in that phosphorylation of a sugar or of a phosphorus sugar or of a precursor of isoprenoid biosynthesis, in

-9-

particular the phosphorylation of 2-C-methyl-D-erythritol, 2-C-methyl-D-erytritol phosphate, in particular 2-C-methyl-D-erythritol 4-phosphate, 2-C-methyl-D-erythrose, 2-C-methyl-D-erythrose phosphate, in particular 2-C-methyl-D-erythrose 4-phosphate, and of phosphate and alcohol precursors, is detected.

Process according to claim 13, characterised in that 14. phosphorylation of the following phosphates or 10 alcohols is detected: $CH_2(OH) - C(CH_3) = C(OH) - CH_2 - O - PO(OH)_2$ $CH_2(OH) - C(CH_3) = C(OH) - CH_2 - OH$, $CH_2(OH) - CH(CH_3) - CO - CH_2 - O - PO(OH)_2$, CH₂ (OH) -CH (CH₃) -CO-CH₂OH 15 $CH_2=C(CH_3)-CO-CH_2-O-PO(OH)_2$, $CH_2=C(CH_3)-CO-CH_2-OH$, $CH_2=C(CH_3)-CH(OH)-CH_2-O-PO(OH)_2$ $CH_2=C(CH_3)-CH(OH)-CH_2-OH$, $CH_2(OH) - C(=CH_2) - C(OH) - CH_2 - O - PO(OH)_2$ 20 $CH_2(OH) - C(=CH_2) - C(OH) - CH_2 - OH$ $CHO-CH(CH_3)-CH(OH)-CH_2-O-PO-(OH)_2$, CHO-CH (CH₃) -CH (OH) -CH₂-OH, $CH_{2}(OH) - C(OH)(CH_{3}) - CH = CH - O - PO(OH)_{2}$ CH_2 (OH) -C (OH) (CH₃) -CH=CH-OH25 $CH(OH) = C(CH_3) - CH(OH) - CH_2 - O - PO(OH)_2$ $CH(OH) = C(CH_3) - CH(OH) - CH_2 - OH$ $(CH_3)_2HC-CO-CH_2-O-PO(OH)_2$, $(CH_3)_2HC-CO-CH_2-O-H$, $(CH_3)_2HC-CH(OH)-CH_2-O-PO(OH)_2$, 30

 $(CH_3)_2HC-CH(OH)-CH_2-O-H.$

20

30

- 7 -

- 15. Process for the combined determination of the enzymatic activity of DOXP synthase and of DOXP reductase, characterised in that the conversion of glyceraldehyde 3-phosphate into 2-C-methylerythritol 4-phosphate is detected.
- 16. Process for screening a compound for the treatment of infectious processes in humans and animals, wherein the process comprises:
- 10 a) provision of a host cell which contains a recombinant expression vector, wherein the vector comprises at least a portion of the oligonucleotide sequence according to SEQ ID no. 1, SEQ ID no. 3 or SEQ ID no. 5 or variants or analogues thereof, and moreover of a compound suspected to have antimycotic, antibiotic, antiparasitic or antiviral action in humans and animals,
 - b) bringing the host cell into contact with the compound and
 - c) determining the antimicrobial, antimycotic, antibiotic, antiparasitic or antiviral action of the compound.
 - 25 17. Process for screening for compounds for treating plants, wherein the process comprises:
 - a) provision of a host cell which contains a recombinant expression vector, wherein the vector comprises at least a portion of the oligonucleotide sequence according to SEQ ID no. 1, SEQ ID no. 3 or SEQ ID no. 5 or variants or analogues thereof, and moreover of a compound suspected to have antimicrobial,

. 9.

- antiviral, antiparasitic, bactericidal, fungicidal or herbicidal action in plants,
- b) bringing the host cell into contact with the compound and
- c) determining the antimicrobial, antiviral, antiparasitic, bactericidal, fungicidal or herbicidal action of the compound.
- 18. Use of DNA according to one of claims 1 to 5 or of proteins according to one of claims 9 to 12 or of transgenic systems according to claim 7 for the prevention or treatment of diseases in humans and animals.

25

Genes of the 1-deoxy-D-xylulose biosynthesis pathway

The present invention relates to DNA sequences which, when incorporated into the genome of viruses, eukaryotes and prokaryotes, modify isoprenoid biosynthesis and to a genetic engineering process for the production of these transgenic viruses, eukaryotes and prokaryotes. The invention also relates to a process for the identification of substances having herbicidal, antimicrobial, antiparasitic, antiviral, fungicidal, bactericidal action in plants and antimicrobial, antiparasitic, antimycotic, antibacterial and antiviral action in humans and animals.

The biosynthesis pathway for the formation of isoprenoids via the classical acetate/mevalonate pathway and an alternative mevalonate-independent biosynthesis pathway, the deoxy-D-xylulose phosphate pathway is already known (Rohmer, M., Knani, M., Simonin, P., Sutter, B. and Sahm, H. (1993): Biochem. J. 295: 517-524).

It is, however, not known how and by which pathways it is possible to bring about a change in the isoprenoid concentration in viruses, eukaryotes and prokaryotes by means of the deoxy-D-xylulose phosphate pathway. Figure 1 shows this biosynthesis pathway.

DNA sequences are consequently provided which code for 1-deoxy-D-xylulase 5-phosphate synthase (DOXP synthase), 1-deoxy-D-xylulose 5-phosphate reductoisomerase (DOXP reductoisomerase) or the gcpE protein. All three genes and enzymes are involved in isoprenoid biosynthesis.

-**1**-

(Translator's comment: The portion at the beginning of the next paragraph enclosed in square brackets corresponds to the beginning of the sentence which finishes on page 2, line 1 of the original).

[The gcpE protein has a kinase function and catalyses the phosphorylation of a sugar or a phosphorus sugar or a precursor of isoprenoid biosynthesis, in particular the phosphorylation of 2-C-methyl-D-erythritol, 2-C-methyl-D-erytritol phosphate, in particular 2-C-methyl-D-erythritol 4-phosphate, 2-C-methyl-D-erythrose, 2-C-

methyl-D-erythrose) phosphate, in particular 2-C-methyl-D-erythrose 4-phosphate. In the precursor of isoprenoid synthesis, the gcpE protein in particular catalyses the phosphorylation of the following substances:

 $CH_2(OH) - C(CH_3) = C(OH) - CH_2 - O - PO(OH)_2$

15 $CH_2(OH) - C(CH_3) = C(OH) - CH_2 - OH$, $CH_2(OH) - CH(CH_3) - CO - CH_2 - O - PO(OH)_2$, $CH_2(OH) - CH(CH_3) - CO - CH_2OH$ $CH_2 = C(CH_3) - CO - CH_2 - O - PO(OH)_2$, $CH_2 = C(CH_3) - CO - CH_2 - OH$,

20 $CH_2=C(CH_3)-CH(OH)-CH_2-O-PO(OH)_2$, $CH_2=C(CH_3)-CH(OH)-CH_2-OH$,

 $CH_2(OH) - C(=CH_2) - C(OH) - CH_2 - O - PO(OH)_2$

 CH_{2} (OH) -C (= CH_{2}) -C (OH) $-CH_{2}$ -OH

CHO-CH (CH₃) -CH (OH) -CH₂-O-PO-(OH) $_{2}$,

25 CHO-CH (CH₃)-CH (OH)-CH₂-OH,

 $CH_2(OH) - C(OH)(CH_3) - CH = CH - O - PO(OH)_2$

 CH_2 (OH) -C (OH) (CH_3) -CH=CH-OH

 $CH(OH) = C(CH_3) - CH(OH) - CH_2 - O - PO(OH)_2$

 $CH(OH) = C(CH_3) - CH(OH) - CH_2 - OH$

30 $(CH_3)_2HC-CO-CH_2-O-PO(OH)_2$,

 $(CH_3)_2HC-CO-CH_2-O-H_1$

 $(CH_3)_2HC-CH(OH)-CH_2-O-PO(OH)_2$,

 $(CH_3)_2HC-CH(OH)-CH_2-O-H$.

10

15

20

25

-25

DOXP synthase catalyses the condensation of pyruvate and glyceraldehyde 3-phosphate to yield 1-deoxy-D-xylulose 5-phosphate and DOXP reductoisomerase catalyses the conversion of 1-deoxy-D-xylulose 5-phosphate into 2-C-methyl-D-erythritol 4-phosphate (c.f. Fig. 1).

The invention relates to the following DNA sequences:

DNA sequences which code for a polypeptide with the amino acid sequence shown in SEQ ID no. 2 or for an analogue or derivative of the polypeptide according to SEQ ID no. 2, in which one or more amino acids have been deleted, added or replaced by other amino acids, wherein the enzymatic action of the polypeptide is retained, and which sequences originate from parasites, wherein sequence variations occurring within the framework of natural strain variability are included,

DNA sequences which code for a polypeptide with the amino acid sequence shown in SEQ ID no. 4 or for an analogue or derivative of the polypeptide according to SEQ ID no. 4, in which one or more amino acids have been deleted, added or replaced by other amino acids, wherein the enzymatic action of the polypeptide is retained, and which sequences originate from parasites, wherein sequence variations occurring within the framework of natural strain variability are included,

and DNA sequences which code for a polypeptide with the
amino acid sequence shown in SEQ ID no. 6 or for an
analogue or derivative of the polypeptide according to
SEQ ID no. 6, in which one or more amino acids have been

- 3 -

deleted, added or replaced by other amino acids, wherein the catalytic function of the polypeptide is retained.

The genes and the gene products thereof (polypeptides) are shown with their primary structure and are assigned as follows:

SEQ ID no. 1: 1-deoxy-D-xylulose 5-phosphate reductoisomerase gene

SEQ ID no. 2: 1-deoxy-D-xylulose 5-phosphate reductoisomerase

SEQ ID no. 3: 1-deoxy-D-xylulose 5-phosphate synthase gene

SEQ ID no. 4: 1-deoxy-D-xylulose 5-phosphate synthase

- 4 -

SEQ ID no. 5: gcpE gene

5

10

SEQ ID no. 6: gcpE proteins.

The DNA sequences all originate from Plasmodium falciparum.

Apart from the DNA sequences stated in the sequence listing, suitable sequences are also those which, as a result of the degeneration of the genetic code, have another DNA sequence, but code for the same peptide or for an analogue or derivative of the polypeptide, in which one or more amino acids have been deleted, added or replaced by other amino acids.

- The sequences according to the invention are suitable for the expression of genes in viruses, eukaryotes and prokaryotes which are responsible for isoprenoid biosynthesis in the 1-deoxy-D-xylulose pathway.
- According to the invention, eukaryotes or eukaryotic cells include animal cells, plant cells, algae, yeasts, fungi, while prokaryotes or prokaryotic cells include bacteria, archaebacteria and eubacteria.
- When a DNA sequence is incorporated into a genome on which the above-stated DNA sequence is located, expression of the above-described genes in viruses, eukaryotes and prokaryotes is enabled. The viruses, eukaryotes and prokaryotes transformed according to the invention are cultivated in a manner known per se and the isoprenoid formed during such cultivation is isolated and optionally purified. Not all isoprenoids need to be

10

15

20

25

isolated as in some case the isoprenoids are released directly into the ambient air.

The invention furthermore relates to a process for the production of transgenic viruses, eukaryotes and prokaryotes in order to modify the isoprenoid content, which process comprises the following steps.

- a) Production of a DNA sequence with the following subsequences
 - i) promoter which is active in viruses, eukaryotes and prokaryotes and ensures the formation of an RNA in the intended target tissue or target cells,
 - ii) DNA sequence which codes for a polypeptide with the amino acid sequence shown in SEQ ID no. 2, 4 or 6 or for an analogue or derivative of the polypeptide according to SEQ ID no. 2, 4 or 6,
 - iii) 5' and 3' untranslated sequence which enables or enhances expression of the stated genes in viruses, eukaryotes and prokaryotes,
- transfer and incorporation of the DNA sequence into the genome of viruses, prokaryotic or eukaryotic cells with or without the use of a vector (for example plasmid, viral DNA).

The intact, whole plants may be regenerated from plant cells transformed in this manner.

30 The protein-coding sequences with the nucleotide sequences SEQ ID no. 1, SEQ ID no. 3 and SEQ ID no. 5 may be provided with a promoter which ensures transcription in certain organs or cells, which promoter is coupled in

sense orientation (3' end of the promoter to the 5' end of the coding sequence) to the sequence which codes the protein to be formed. A termination signal which determines termination of mRNA synthesis is attached to the 3' end of the coding sequence. In order to direct the 5 protein which is to be expressed to certain subcellular compartments, such as chloroplasts, amyloplasts, mitochondria, vacuoles, cytosol or intercellular spaces, a further sequence which codes for a so-called signal sequence or a transit peptide may be inserted between the 10 promoter and the coding sequence. In some cases, it is necessary to insert sequences which code for a signal at the COOH terminus of the protein. The sequence must be in the same reading frame as the coding sequence of the protein. A large number of cloning vectors is available 15 in order to prepare for the introduction of the DNA sequences according to the invention into higher plants, which vectors contain a replication signal for E. coli and a marker which permits selection of the transformed cells. Depending upon the method by which desired genes 20 are introduced into the plant, further DNA sequences may be required. If, for example, the Ti or Ri plasmid is used to transform the plant cells, at least one right border, but frequently the right border and left border of the Ti and Ri plasmid T-DNA must be inserted as a 25 flanking region into the genes to be introduced. The use of T-DNA for transforming plant cells has been intensively investigated and comprehensively described in EP 120516; Hoekama in "The Binary Plant Vector System", Offset-drukkerij Kanters B.V. Alblasserdam (1985), 30 chapter V; Fraley et al., Crit.Rev.Plant Sci. 4, 1-46 and An et al. (1985) EMBO J. 4, 277-287. Once the introduced DNA has been incorporated into the genome, it is

generally stable and is also retained in the descendants of the originally transformed cells. It normally contains a selection marker, which imparts to the transformed plant cells resistance to a biocide or an antibiotic, such as kanamycin, G 418, bleomycin, hygromycin or phosphinotricin and others. The particular marker used is thus intended to allow selection of transformed cells from cells lacking the inserted DNA.

Many techniques are available for introducing DNA into a 10 plant. These techniques include transformation with the assistance of agrobacteria, for example Agrobacterium tumefaciens, protoplast fusion, microinjection of DNA, electroporation, as well as ballistic methods and virus infection. Whole plants may then be regenerated from the 15 transformed plant material in a suitable medium which may contain antibiotics or biocides for selection purposes. No particular requirements are placed upon the plasmids for injection and electroporation. However, if whole plants are to be regenerated from such transformed cells, 20 a selectable marker gene must be present. The transformed cells grow in the plants in the conventional manner (McCormick et al. (1986), Plant Cell Reports 5, 81-84). The plants may be cultivated normally and be crossed with plants which have the same transformed genome or other 25 genomes. The resultant individuals have the corresponding phenotypic properties.

The present invention also provides expression vectors
which contain one or more of the DNA sequences according
to the invention. Such expression vectors are obtained by
providing the DNA sequences according to the invention
with suitable functional regulation signals. Such

regulation signals are DNA sequences which are responsible for expression, for example promoters, operators, enhancers, ribosomal binding sites, and are recognised by the host organism.

5

Further regulation signals, which for example control replication or recombination of the recombinant DNA in the host organism, may optionally also be a constituent part of the expression vector.

10

The host organisms transformed with the DNA sequences or expression vectors according to the invention are also provided by the present invention.

Suitable host cells and organisms for expressing the 15 enzymes according to the invention are those which comprise no intrinsic enzymes with the function of DOXP synthase, DOXP reductoisomerase or the gcpE protein. This is the case for archaebacteria, animals, fungi, slime moulds and some eubacteria. The absence of such intrinsic 20 enzyme activity substantially facilitates detection and purification of the recombinant enzymes. As a consequence, it is also for the first time possible straightforwardly to measure, in crude extracts from the host cells, the activity and in particular the inhibition 25 of the activity of the recombinant enzymes according to the invention by various chemicals and pharmaceuticals.

30

The enzymes according to the invention are advantageously then expressed in eukaryotic cells if post-translational modification and native folding of the polypeptide chain is to be achieved. Moreover, depending upon the expression system, it is ensured when expressing genomic

DNA sequences that introns are eliminated by splicing the DNA and the enzymes are produced in the polypeptide sequences characteristic to the parasites. Using recombinant DNA techniques, sequences coding for introns may be eliminated from or inserted for experimental purposes into the DNA sequences to be expressed.

The protein may be isolated from the host cell or the culture supernatant of the host cell using methods known to the person skilled in the art. In vitro reactivation of the enzymes may also be required.

In order to facilitate purification, the enzymes according to the invention or sub-sequences of the enzymes may be expressed as fusion proteins with various peptide chains. Oligo-histidine sequences and sequences derived from glutathione S-transferase, thioredoxin or calmodulin-binding peptides are particularly suitable for this purpose.

20

25

5

10

15

The enzymes according to the invention or sub-sequences of the enzymes may furthermore be expressed as fusion proteins with such peptide chains known to the person skilled in the art that the recombinant enzymes are transported into the extracellular medium or into certain compartments of the host cells. Both purification and investigation of the biological activity of the enzymes may consequently be facilitated.

When expressing the enzymes according to the invention, it may prove convenient to modify individual codons. Purposeful replacement of bases in the coding region may here also be advisable if the codons used in the

parasites differ from the codon use in the heterologous expression system, in order to ensure optimal synthesis of the protein.

5 The enzymes according to the invention may furthermore be obtained under standardised conditions by in vitro translation by methods known to the person skilled in the art. Systems suitable for this purpose are rabbit reticulocyte and wheat germ extracts and bacterial lysates. In vitro transcribed mRNA may also be translated into Xenopus oocytes.

Oligo- and polypeptides, the sequences of which are derived from the peptide sequence of the enzymes according to the invention, may be obtained by chemical synthesis. Given appropriate selection of the sequences, such peptides have properties which are characteristic of the enzymes according to the invention. Such peptides may be produced in large quantities and are particularly suitable for investigating the kinetics of enzyme activity, regulation of enzyme activity, the three-dimensional structure of the enzymes, inhibition of enzyme activity by various chemicals and pharmaceuticals and the binding geometry and binding affinity of various ligands.

DNA with the nucleotides from sequences SEQ ID no. 1, 3 and 5 are preferably used for the recombinant production of the enzymes according to the invention.

30

15

20

25

The invention accordingly moreover relates to a process for screening for compounds which inhibit the deoxy-D-xylulose phosphate metabolic pathway. According to this

10

process, a host organism, which contains a recombinant expression vector, wherein the vector comprises at least a portion of the oligonucleotide sequence according to SEQ ID no. 1, SEQ ID no. 3 or SEQ ID no. 5 or variants or homologues thereof, is provided, as is a compound which is suspected to have antimicrobial, antiparasitic, antibacterial, antiviral and antimycotic action in humans and animals or an antimicrobial, antiviral, bactericidal, herbicidal or fungicidal activity in plants. The host organism is then brought into contact with the compound and the activity of the compound determined.

The present invention also provides methods for determining the enzymatic activity of the gcpE protein. Said activity may be determined using known methods. 15 Determination is performed by detecting the phosphorylation of a sugar or of a phosphorus sugar or of a precursor of isoprenoid biosynthesis, in particular the phosphorylation of 2-C-methyl-D-erythritol, 2-C-methyl-Derytritol phosphate, in particular 2-C-methyl-D-20 erythritol 4-phosphate, 2-C-methyl-D-erythrose, 2-Cmethyl-D-erythrose phosphate, in particular 2-C-methyl-Derythrose 4-phosphate. The present invention also provides the use of this measurement method for identifying substances which inhibit the activity of the 25 particular enzymes.

The enzymatic activity of DOXP synthase and DOXP reductoisomerase may be detected in a single step by determining the conversion of glyceraldehyde 3-phosphate into 2-C-methylerythritol 4-phosphate.

- 12 -

Determination of the activities of DOXP synthase and DOXP reductoisomerase proceeds analogously. Fluorimetric methods described by Querol et al. are also suitable for determining DOXP synthase activity (Querol et al., abstracts, 4th European Symposium on Plant Isoprenoids, Barcelona, 21-23 April 1999).

- 1 -

SEQUENCE LISTING

```
<110> Jomaa, Hassan
<120> Genes of the 1-deoxy-D-xylulose biosynthesis pathway
 <130> 15696
 <140> PCT/EP99
 <141> 1999-09-22
 <150> DE19923567.8
 <151> 1999-05-22
 <150> DE19843279.8
 <151> 1998-09-22
 <160> 6
 <170> PatentIn Ver. 2.1
 <210> 1
 <211> 1467
 <212> DNA
 <213> Plasmodium falciparum
 <220>
 <221> CDS
 <222> (1)..(1467)
 <220>
 <221> gene
 <222> (1) ... (1467)
  <220>
  <221>, mRNA
  <222> (1)..(1467) '
  <400> 1
  48
  Met Lys Lys Tyr Ile Tyr Ile Tyr Phe Phe Phe Ile Thr Ile Thr Ile
                                                        15
                                     10
  aat gat tta gta ata aat aat aca tca aaa tgt gtt tcc att gaa aga
  Asn Asp Leu Val Ile Asn Asn Thr Ser Lys Cys Val Ser Ile Glu Arg
                                                    30
                                 25
              20
  aga aaa aat aac gca tat ata aat tat ggt ata gga tat aat gga cca
                                                                 144
  Arg Lys Asn Asn Ala Tyr Ile Asn Tyr Gly Ile Gly Tyr Asn Gly Pro
                              40
           35
  gat aat aaa ata aca aag agt aga aga tgt aaa aga ata aag tta tgc
                                                                 192
  Asp Asn Lys Ile Thr Lys Ser Arg Arg Cys Lys Arg Ile Lys Leu Cys
                                             60
                          55
       50
```

aaa Lys 65	aag Lys	gat Asp	tta Leu	ata Ile	gat Asp 70	att Ile	ggt Gly	gca Ala	ata Ile	aag Lys 75	aaa Lys	cca Pro	att Ile	aat Asn	gta Val 80	240
gca 'Ala'	att Tie'	ttt Phe	gga Gly	agt Ser 85	act Thr	ggt Gly	agt Ser	ata Ile	ggt Gly 90	acg Thr	aat Asn	gct Ala	tta Leu	aat Asn 95	ata Ile	288
ata Ile	agg Arg	gag Glu	tgt Cys 100	aat Asn	aaa Lys	att Ile	gaa Glu	aat Asn 105	gtt Val	ttt Phe	aat Asn	gtt Val	aaa Lys 110	gca Ala	ttg Leu	336
tat Tyr	gtg Val	aat Asn 115	aag Lys	agt Ser	gtg Val	aat Asn	gaa Glu 120	tta Leu	tat Tyr	gaa Glu	caa Gln	gct Ala 125	aga Arg	gaa Glu	ttt Phe	384
tta Leu	cca Pro 130	Glu	tat Tyr	Leu	Cys	Ile	His	Asp	Lys	Ser	gta Val 140	tat Tyr	gaa Glu	gaa Glu	tta Leu	432
Lys 145	Glu	Leu	Val	Lys	Asn 150	Ile	Lys	Asp	Tyr	Lys 155	Pṛo	Ile	ata Ile	Leu	160	480
Gly	Asp	Glu	Gly	Met 165	Lys	Glu	Ile	Cys	Ser 170	Ser	Asn	Ser	ata Ile	175	гÀ2	528
Ile	Val	Ile	Gly 180	Ile	Asp	Ser	Phe	Gln 185	Gly	Leu	Tyr	Ser	act Thr 190	Met	Tyr	576
Ala	Ile	Met 195	Asn	Asn	Lys	Ile	Val 200	Ala	Leu	Ala	Asn	Lys 205		Ser	lle	624
Val	Ser 210	· Ala	Gly	Phe	Phe	Leu 215	Lys	Lys	Leu	Leu	220	Ile	His	Lys	aat Asn	672
Ala 225	Lys	: Ile	: Ile	Pro	Val 230	Asp	Ser	: Glu	His	235	Ala	lle	: Phe	GIn	tgt Cys 240	720
Lev	ı Asp) Aşn	a Asn	Lys 245	Val	Leu	Lys	Thr	250	Cys)	s Leu	ı Glr	n Asp	255		768
Ser	Lys	s Ile	260	n Asr	lle	Asn	Lys	265	Phe	e Lev	ı Cys	s Ser	270	: Gly	ggt Gly	816
cca Pro	a ttt o Phe	caa e Glr 279	n Ası	t tta n Lev	act Thr	ato Met	gad Asp 280	Glu	tta Lei	a aaa u Lys	a aat s 'Asr	yta Yal 285	LThr	tca Ser	gaa Glu	864

- 3 -

aat Asn	gct Ala 290	tta Leu	aag Lys	cat His	Pro	aaa Lys 295	tgg Trp	aaa Lys l	atg Met	ggt Gly	aag Lys 300	aaa Lys	ata Ile	act Thr	ata Ile	912
gat Asp 305	tct Ser	gca Ala	act 'Thr'	atg Met	atg Met 310	aat Asn	aaa Lys '	ggt Gly	tta Leu	gag Glu 315	gtt Val	ata Ile	gaa Glu	acc	cat His 320	960
ttt Phe	tta Leu	ttt Phe	gat Asp	gta Val 325	gat Asp	tat Tyr	aat Asn	gat Asp	ata Ile 330	gaa Glu	gtt Val	ata Ile	gta Val	cat His 335	aaa Lys	1008
gaa Glu	tgc Cys	att Ile	ata Ile 340	cat	tct Ser	tgt Cys	gtt Val	gaa Glu 345	ttt Phe	ata Ile	gac Asp	aaa Lys	tca Ser 350	gta Val	ata Ile	1056
agt Ser	caa Gln	ato Met	Туг	tat Tyr	cca	gat Asp	Met	caa Gln	Tre	PIO	116	tta Leu 365	tat Tyr	tct Ser	tta Leu	1104
aca Thr	tgg Trp	Pro	gat Asp	aga Arg	ata Ile	aaa Lys 375	Thr	aat Asn	tta Leu	aaa Lys	cct Pro 380	Dea	gat Asp	ttg Leu	gct Ala	1152
caç Glr 385	val	tc: Se:	a act	t ctt r Leu	aca Thr 390	Phe	cat His	aaa Lys	cct	tct Ser 395	red	gaa Glu	cat His	tto Phe	e ccg Pro 400	1200
tgt Cy:	att s Ile	aa e Ly	a tt s Le	a gct u Ala 40!	а Туз	caa Glr	gca Ala	ggt Gly	ata 11e 410	։ Ինչ	a gga s Gly	aac Asn	ttt Phe	tate Tyx	cca Pro	1248
act Th	t gt: r Vai	a ct l Le	a aa u As 42	n Ala	g tca a Sea	a aat r Ası	gaa Glu	ata 1 Ile 425	HI 6	a ası	c aad n Asi	tta Lev	ttt Phe 430		g aat u Asn	1296
aa As:	t aa n Ly	a at s Il 43	e Ly	a ta s Ty	t tt: r Ph	t ga ^s e Asj	o 116	tcc Ser	: Se:	L 11	e TT	e Sei	C GII	a gti n Va	t ctt l Leu	1344
ga Gl	a tc u Se 45	r Ph	c aa ne As	it tc in Se	t ca r Gl	a aa n Ly 45	s Va.	t tcg l Sei	g ga r Gl	a aa u As	t ag n Se 46	r GI	a ga u As	t tt p Le	a atg u Met	1392
aa Ly 46	s Gl	a at .n Il	t ct le Le	a ca eu Gl	a at n Il 47	e Hi	t tc s Se	t tge r Tr	g gc p Al	c aa a Ly 47	S AS	t aa p Ly	a gc s Al	t ac a Th	c gat r Asp 480	1440
at I]	a ta Le Ty	ic aa yr Aa	ac aa sn L	aa ca ys Hi 48	s As	it to sn Se	t tc r Se	a ta	g						•	1467

<210> 2 <211> 488 <212> PRT <213> Plasmodium falciparum

- 4 -

<400> 2 Met Lys Lys Tyr Ile Tyr Ile Tyr Phe Phe Phe Ile Thr Ile Asn Asp Leu Val Ile Asn Asn Thr Ser Lys Cys Val Ser Ile Glu Arg '20 Arg Lys Asn Asn Ala Tyr Ile Asn Tyr Gly Ile Gly Tyr Asn Gly Pro Asp Asn Lys Ile Thr Lys Ser Arg Arg Cys Lys Arg Ile Lys Leu Cys Lys Lys Asp Leu Ile Asp Ile Gly Ala Ile Lys Lys Pro Ile Asn Val Ala Ile Phe Gly Ser Thr Gly Ser Ile Gly Thr Asn Ala Leu Asn Ile Ile Arg Glu Cys Asn Lys Ile Glu Asn Val Phe Asn Val Lys Ala Leu Tyr Val Asn Lys Ser Val Asn Glu Leu Tyr Glu Gln Ala Arg Glu Phe Leu Pro Glu Tyr Leu Cys Ile His Asp Lys Ser Val Tyr Glu Glu Leu Lys Glu Leu Val Lys Asn Ile Lys Asp Tyr Lys Pro Ile Ile Leu Cys Gly Asp Glu Gly Met Lys Glu Ile Cys Ser Ser Asn Ser Ile Asp Lys Ile Val Ile Gly Ile Asp Ser Phe Gln Gly Leu Tyr Ser Thr Met Tyr Ala Ile Met Asn Asn Lys Ile Val Ala Leu Ala Asn Lys Glu Ser Ile 1'95 Val Ser Ala Gly Phe Phe Leu Lys Lys Leu Leu Asn Ile His Lys Asn Ala Lys Ile Ile Pro Val Asp Ser Glu His Ser Ala Ile Phe Gln Cys Leu Asp Asn Asn Lys Val Leu Lys Thr Lys Cys Leu Gln Asp Asn Phe .255 Ser Lys Ile Asn Asn Ile Asn Lys Ile Phe Leu Cys Ser Ser Gly Gly Pro Phe Gln Asn Leu Thr Met Asp Glu Leu Lys Asn Val Thr Ser Glu Asn Ala Leu Lys His Pro Lys Trp Lys Met Gly Lys Lys Ile Thr Ile

- 5 -

Asp Ser Ala Thr Met Met Asn Lys Gly Leu Glu Val Ile Glu Thr His Phe Leu Phe Asp Val Asp Tyr Asn Asp Ile Glu Val Ile Val His Lys Glu Cys Ile Ile His Ser Cys Val Glu Phe Ile Asp Lys Ser Val Ile Ser Gln Met Tyr Tyr Pro Asp Met Gln Ile Pro Ile Leu Tyr Ser Leu Thr Trp Pro Asp Arg Ile Lys Thr Asn Leu Lys Pro Leu Asp Leu Ala Gln Val Ser Thr Leu Thr Phe His Lys Pro Ser Leu Glu His Phe Pro Cys Ile Lys Leu Ala Tyr Gln Ala Gly Ile Lys Gly Asn Phe Tyr Pro Thr Val Leu Asn Ala Ser Asn Glu Ile Ala Asn Asn Leu Phe Leu Asn Asn Lys Ile Lys Tyr Phe Asp Ile Ser Ser Ile Ile Ser Gln Val Leu Glu Ser Phe Asn Ser Gln Lys Val Ser Glu Asn Ser Glu Asp Leu Met Lys Gln Ile Leu Gln Ile His Ser Trp Ala Lys Asp Lys Ala Thr Asp 4.80

ggtaatatac gtataatata tatataatat attcttacgt atgtatcatt tatgaatcat 60

<210> 3
<211> 3872
<212> DNA
<213> Plasmodium falciparum

<220>
<221> CDS
<222> (126)..(3740)

<220>
<221> gene
<222> (1)..(3870)

<220>
<221> mRNA
<222> (1)..(3870)

<400> 3

Ile Tyr Asn Lys His Asn Ser Ser .

aataatattc taaatttacc ttccgttttt gctcgatctt ctcattttcg tttcagcttt 120 tatca atg att ttt aat tat gtg ttt ttt aag aac ttt gta cca gtt gtt 170 Met Ile Phe Asn Tyr Val Phe Phe Lys Asn Phe Val Pro Val Val 15 10 cta tac att ctc ctt ata ata tat att aac tta aat ggc atg aat aat Leu Tyr Ile Leu Leu Ile Ile Tyr Ile Asn Leu Asn Gly Met Asn Asn 30 25 20 aaa aat caa ata aaa aca gaa aaa att tat ata aag aaa ttg aat agg Lys Asn Gln Ile Lys Thr Glu Lys Ile Tyr Ile Lys Lys Leu Asn Arg 40 35 ttg tca agg aaa aat tcg tta tgt agt tct aaa aat aaa ata gca tgc 314 Leu Ser Arg Lys Asn Ser Leu Cys Ser Ser Lys Asn Lys Ile Ala Cys 60 50 ttg ttc gat ata gga aat gat gat aat aga aat acg aca tat ggc tat 362 Leu Phe Asp Ile Gly Asn Asp Asp Asn Arg Asn Thr Thr Tyr Gly Tyr 75 · 65 70 aat gtg aat gtt aaa aat gat gat att aat tcc tta cta aaa aat aat 410 Asn Val Asn Val Lys Asn Asp Asp Ile Asn Ser Leu Leu Lys Asn Asn 95 90 85 80 tat agt aat aaa ttg tac atg gat aag agg aaa aat att aat aat gta 458 Tyr Ser Asn Lys Leu Tyr Met Asp Lys Arg Lys Asn Ile Asn Asn Val 105 110 100 att agt act aat aaa ata tct ggg tcc att tca aat att tgt agt aga 506 Ile Ser Thr Asn Lys Ile Ser Gly Ser Ile Ser Asn Ile Cys Ser Arg 125 120 115 aat caa aaa gaa aat gaa caa aaa aga aat aaa caa aga tgt tta act 554 Asn Gln Lys Glu Asn Glu Gln Lys Arg Asn Lys Gln Arg Cys Leu Thr 140 135 130 caa tgt cachact tat aat atgitca cat gaa cag gac aaa cta gct aat 602 Gln Cys His Thr Tyr Asn Met Ser His Glu Gln Asp Lys Leu Ala Asn 155 150 145 gat aat aat agg aat aat aaa aag aat ttt aat tta ttt ata aat 650 Asp Asn Asn Arg Asn Asn Lys Lys Asn Phe Asn Leu Leu Phe Ile Asn 175 170 165 160 " tat ttt aat ttg aaa cga atg aaa aat tct ctt cta aat aaa gac aat 698 Tyr Phe Asn Leu Lys Arg Met Lys Asn Ser Leu Leu Asn Lys Asp Asn 190 185 180 ttc ttt tac tgt aaa gaa aaa aaa ttg tca ttt ctg cat aag gcc tat 746 Phe Phe Tyr Cys Lys Glu Lys Lys Leu Ser Phe Leu His Lys Ala Tyr 205 200 195 aaa aaa aaa aat tgc act ttt caa aat tat agt tta aaa aga aaa tct 794 Lys Lys Lys Asn Cys Thr Phe Gln Asn Tyr Ser Leu Lys Arg Lys Ser 220 215 210

- 7 -

Asn	cgt Arg 225	Asp	Ser	His i	Lys	Leu 230	Phe :	Ser (стÀ	GIU	235	nsp r	der	1 7 1		842
aat Asn 240	aat 'Asn''	aat Asn	gct Ala	Leu	tat Tyr 245	gaa Glu	tcc Ser	gaa Glu	rys	aaa Lys 250	gaa Glu	tac a	att Ile	T 111	cta Leu 255	890
aat Asn	aat Asn	aat Asn	aat Asn	aaa Lys 260	aat Asn	aat Asn	aat Asn	Asn	aaa Lys 265	aat Asn	aat Asn	gat (Asp)	aat Asn	aaa Lys 270	aat Asn	938
aat Asn	gat Asp	aat Asn	aat Asn 275	gat Asp	tat Tyr	aat Asn	aat Asn	aat Asn 280	aat Asn	agt Ser	tg t Cys	ASII	aat Asn 285	tta Leu	gga Gly	986
gag Glu	aga Arg	tcc Ser 290	aat Asn	cat His	tat Tyr	gat Asp	aat Asn 295	tat Tyr	gġt Gly	gga Gly	gat Asp	aat Asn 300	aat Asn	aat Asn	cca Pro	1034
tgt Cys	aat Asn 305	aat Asn	aat Asn	aat Asn	gac Asp	aaa Lys 310	tat Tyr	gat Asp	ata Ile	gga Gly	aaa Lys 315	tat Tyr	ttc Phe	aaa Lys	cag Gln	1082
att Ile 320	Asn	acc Thr	ttt Phe	att Ile	aat Asn 325	Ile	gat Asp	gaa Glu	tat Tyr	aaa Lys 330	THE	ata Ile	tat Tyr	ggt Gly	gat Asp 335	1130
gaa Glu	ata Ile	tat Tyr	aaa Lys	gaa Glu 340	Ile	tat Tyr	gaa Glu	cta Leu	tat Tyr 345	val	gaa Glu	aga Arg	aat Asn	att Ile 350	cct Pro	1178
gaa	tat Tyr	tat Tyr	gaa Glu 355	Arg	aaa Lys	tat Tyr	ttt Phe	tca Ser 360	GIU	gat Asp	att Ile	aaa Lys	aag Lys 365	Ser	gtc Val	1226
cta	ı Phe	Asp) Ile	gat Asp	Lys	Tyr	aat Asn 375	Asp	gto Val	gaa Glu	ttt Phe	gaa Glu 380	гÃз	gct Ala	ata	1274
aaa Lys	a gaa s Glu 385	ı Glı	a ttt ı Phe	ata e Ile	a aat e Asr	aat Asr 390	ı Gly	gtt Val	tat Tyr	att	aat Asn 395	ASN	ata	gat Asp	aat Asn	1322
aca Tha	r Ty	t tai	t aaa r Ly:	a aaa s Lys	a gaa s Glu 40!	ı Ası	t att	tta Lev	a ata	a atq e Mei 410	с гла	a aag s Lys	ata Ile	a tta	a cat u His 415	1370
ta Ty	t tte r Ph	c cc e Pr	a tta o Le	a tta u Lei 420	u Ly	a tta s Lei	a att	aat e Asi	aat n Asi 425	n Pro	a tca o Sei	a gat c Asp	tta Le	a aaa u Ly: 43	a aag s Lys O	1418
tt Le	a aa u Ly	a aa s Ly	a ca s Gl 43	n Ty	t tt r Le	a cc u Pr	t tta o Le	a tta u Lei 44	u ,AL	a ca a Hi	t gaa s Gli	a tta u Lev	a aa 1 Ly 44	2 11	a ttt e Phe	1466

- 8 -

tta Leu	ttt Phe	ttt Phe 450	att Ile	gta Val	aat Asn	Ile	aca Thr 455	gga (Gly (ggt Gly	cat His	LIIE	tcc Ser 460	tct Ser	gtt Val	tta Leu	1514
Ser	tct Ser 465	tta Leu	gaa Glu	att Ile	caa Gln	tta Leu 470	tta Leu	tta Łeu	ttg Leu	tat Tyr	att 11e= 475	ttt Phe	aat Asn	caa Gln	cca Pro	1562
tat Tyr 480	gat Asp	aat Asn	gtt Val	ata Ile	tat Tyr 485	gat Asp	ata Ile	gga Gly	cat His	caa Gln 490	gca Ala	tat Tyr	gta Val	cat His	aag Lys 495	1610
ata Ile	ttg Leu	acc Thr	gga Gly	aga Arg 500	aaa Lys	cta Leu	tta Leu	ttt Phe	cta Leu 505	tca Ser	tta Leu	aga Arg	aat Asn	aaa Lys 510	aaa Lys	1658
ggt Gly	att	agt Ser	gga Gly 515	Phe	cta Leu	aat Asn	att Ile	ttt Phe 520	gaa Glu	agt Ser	att Ile	tat Tyr	gat Asp 525	aaa Lys	ttt Phe	1706
ggg	gct Ala	ggt Gly 530	, His	agt Ser	tcc	act Thr	tca Ser 535	Leu	agt Ser	gct Ala	ata Ile	caa Gln 540	013	tat Tyr	tat Tyr	1754
gaa Glu	gcc Ala 545	Gli	g tgg ı Trp	g caa o Glr	gtg Val	aag Lys 550	Asn	aaa Lys	gaa Glu	aaa Lys	tat Tyr 555	OLY	aat Asn	gga Gly	gat Asp	1802
ata Ile 560	Gl	a ata	a agt e Sei	t gat r Asp	aac Asr 565	Ala	aat Asn	gtc Val	acg	aat Asr 570	i Wei	gaa Glu	ago Arç	, ata , Ile	ttt Phe 575	1850
caa Glr	a aaa a Ly	a gg s Gl	a ata y Il	a ca e Hi 58	s Ası	gat Asp	aat Asr	aat n Asr	att 11e 585	; Mai	aat n Asr	aat Asr	att	aat Asr 590	aat Asn	1898
aat Asi	t aa n As	t ta n Ty	t at r Il 59	e As	t cc n Pr	o Sei	r Asj	p val	L va.	a gga	a aga y Arg	a gaa g Glu	a aat u Asi 60		g aat c Asn	1946
gt: Va	a co l Pr	a aa o As	n Va	a cg 1 Ar	a aa g As	t gat n Asj	t aa p As: 61	n Hi	t aad s Asi	c gt n Va	g gat 1 Asj	t aaa p Lya 62	3	a cad	c att	1994
gc Al	t at a Il 62	e Il	a gg Le Gl	ga ga Ly As	it gg sp Gl	t gg y Gl 63	Àгь	a ac u Th	a gg r Gl	t gg y Gl	a at y Me 63	LAL	a tt a Le	a ga u Gl	a gcg u Ala	2042
tt Le 64	u As	at ta sn T	at at yr I:	t to le Se	ca tter Ph	e Le	g aa u As	t tc n Se	t aa r Ly	a at s Il 65	.е ље	a at u Il	t at e Il	t ta e Ty	t aat r Asn 655	2090
		ac g sn G	ga c	ln V	tt to al Se 60	et tt	a co eu Pr	ea ac	a aa ar As 66	IA II	ec gt La Va	a ag	t at	a to Le Se 67	a ggt r Gly	2138

-9-

	aat Asn	aga Arg	Pro	ata Ile 675	ggt Gly	tct Ser	ata Ile	tca Ser	gat Asp 680	cat His	tta Leu	cat His	Tyr	ttt Phe 685	gtt Val	tct Ser	2186			
•	aat Asn	Ile	gaa Glu 690	gca Ala	aat Asn	gct Ala	ggt Gly	gat Asp 695	aat 'Asn	aaa Lys	tta Leu	tcg Ser	aaa Lys 700	aat Asn	gca Ala	aaa Lys	2234			
•	gag Glu	aat Asn 705	aac Asn	att Ile	ttt Phe	gaa Glu	aat Asn 710	ttg Leu	aat Asn	tat Tyr	gat Asp	tat Tyr 715	att Ile	ggt Gly	gtt Val	gtg Val	2282			
	aat Asn 720	ggt Gly	aat Asn	aat Asn	aca Thr	gaa Glu 725	gag Glu	ctc Leu	ttt Phe	aaa Lys	gta Val 730	tta Leu	aat Asn	aat Asn	ata Ile	aaa Lys 735	2330	•		
	gaa Glu	aat Asn	aaa Lys	tta Leu	aaa Lys 740	Arg	gct Ala	act Thr	gtt Val	ctt Leu 745	cat His	gta Val	cgt Arg	aca Thr	aaa Lys 750	aaa Lys	2378			
	Ser	Asn	Asp	Phe 755	ata Ile	Asn	Ser	Lys	Ser 760	Pro	Ile	Ser	Ile	765	HIS	Ser	2426			
	Ile	Lys	Lys 770	Àsn	gag Glu	Ile	Phe	775	Phe	Asp	Thr	Thr	780	Leu	Asn	СТĀ	2474			
	Asn	Ile 785	His	Lys		Asn	Lys 790	Ile	Glu	Glu	Glu	Lys 795	Asn	Val	Ser	Ser	2522			
	Ser 800	Thr	Lys	Tyr	Asp	Val 805	Asn	Asn	Lys	Asn	810	Lys	Asn	Asn	Asp	aat Asn 815	2570			
	Ser	Glu	Ile	Ile	820	Tyr	Glu	Asp	Met	Phe 825	Ser	Lys	Glu	Thr	830		2618			
	Asp	Ile	Tyr	Thr 835	Asn	n Glu	Met	. Leu	840	Tyr	Leu	Lys	Lys	845	Arg	aat Asn	2666			
	Ile	Ile	Phe 850	Let	ı Ser	r Pro) Ala	855	Leu	ı Gly	Gly	Ser	860 81y	Leu	val	aaa Lys	2714			
	Ile	Ser 865	Glu	a Arg	д Туг	r Pro	870	Asr)	ı Val	. Tyr	Asp	875	Gly	, lie	. Ala	gaa Glu	2762			
	caa Gln 880	His	tct Sei	gta Val	a act l Thi	t tto r Phe 88!	e Ala	a gca	a gct a Ala	: ato	gca Ala 890	Met	aat Asr	aag Lys	, aaa : Lys	tta Leu 895	2810		•	

- 10 -

aaa Lys	ata Ile	caa Gln	tta Leu	tgt Cys 900	ata Ile	tat Tyr	tcg Ser	acc Thr	ttt Phe 905	tta Leu	caa Gln	aga Arg	gca Ala	tat Tyr 910	gat Asp	2858
caa Gin	att Tie	ata Tle	cat Ris 915	gat Asp	ctt Leu	aat Asn	tta Leu	caa Gln 920	aat Asn	ata Ile	cct Pro	tta Leu	aag Lys 925	gtt Val	ata T le	2906
att Ile	Gly	aga Arg 930	agt Ser	gga Gly	tta Leu	gta Val	gga Gly 935	gag Glu	gat Asp	GJ À ddd	gca Ala	aca Thr 940	cat His	caa Gln	ggt Gly	2954.
ata Ile	tat Tyr 945	Asp	tta Leu	tct Ser	tat Tyr	ctt Leu 950	ggg Gly	aca Thr	ctt Leu	aac Asn	aat Asn 955	gca Ala	tat Tyr	ata Ile		3002
tct Ser 960	Pro	agt Ser	aat Asn	caa Gln	gtt Val 965	Asp	ttg Leu	aaa Lys	aga Arg	gct Ala 970	ьeu	agg Arg	ttt Phe	gct Ala	tat Tyr 975	3050
tta Leu	gat Asp	aag Lys	gac Asp	cat His 980	tct Ser	gtg Val	tat Tyr	ata Ile	cgt Arg 985	TTE	ccc Pro	aga Arg	atg Met	aac Asn 990	ata Ile	3098
tta Leu	agt Ser	gat Asp	aag Lys 995	Tyr	atg Met	aaa Lys	gga Gly	tat Tyr 1000	ren	aac Asn	att Ile	UTS	ato Met 1005	. Llys	aat	3146
gaç Glu	g ago i Sei	aaa Ly:	s Asn	ato Ile	gat Asp	gta Val	aac Asr 1015	y Agi	gat Asp	ata Ile	a aac e Asn	gat Asp 1020	, wal	gta Val	gat Asp	3194
aaa Ly:	s Ty	t ag r Se	t gaa r Glu	a gaa n Glu	tat Ty	t ato r Met 1030	: Ası	gat Asp	gat Asp	aat Asi	t ttt n Phe 1035	; 116	a aaa e Ly:	a tco s Sei	ttt Phe	3242
at 11	e Gl	a aa y Ly	a tct s Se	t aga r Arg	a at g Il 104	e Il	t aaa e Ly	a ato s Me	t Asi) AS	t gaa n Glu 0	1 Wai	i AS.	n vo	t aca n Thr 1055	3290
aa As	t ga n Gl	a ca u Hi	t ta	t tca r Sea 106	r Se	c ag r Ar	a gg g Gl	a ga y As	t aca p Thi 106	r GI	g aca	a aaar r Ly	a aa s Ly	a aa s Ly 107	a aaa s Lys O	3338
gt Va	t tg	t at 's Il	c tt le Ph 107	e·As	c at n Me	g gg t Gl	t ag y Se	t at r Me 108	f re	t tt u Ph	t aa e As	t gt n Va	a at 1 I1 108	e no	t gct n Ala	3366
at Il	a aa le Ly	a ga 7s G: 10!	lu Il	t ga e Gl	a aa u Ly	na ga ys Gl	a ca u Gl 109	n Ty	t at r Il	t to e Se	a ca er Hi	t aa s As 110	11 17	t to r Se	t ttt r Phe	3434
to Se	ca at er I: 110	le V	tt ga al As	it at sp Me	g at	a tt le Ph 111	ie Le	a aa eu As	it co sn Pr	t tt	a ga eu As 111	ъ гу	a aa 's As	at at sn Me	g ata et Ile	3482

- 11 -

Asp H	at g is V	ıta a 'al I	ta a le I	ys 🤆	aa a Sln <i>F</i> 125	aat a Asn I	aaa d Lys I	cat o	in 7	at t Tyr I 130	ta a Leu I	itt a [le T	ct thr	ryr (gaa Glu 135	3530
gat a Asp A	at a sn=1	nct a Thr 1	le (gt 9 Sly (ggt t ∃ly∃	ttt 1 Phe	et a	Thr	cat 1 His M	ttc a Phe-7	aat a Asn 7	aat t Asn T	TY I	tta d Leu 1 150	ata Ile	3578
gaa a Glu A	at a sn 1	Asn 3	at a Tyr 1 155	att a [le :	aca a Thr 1	aaa Lys	His A	aac t Asn 1 160	tta (Leu (tat q Tyr V	gtt d Val 1	His A	aat a Asn : 165	TTE	tat Tyr	3626
tta t Leu S	Ser I	aat (Asn (gag (Glu)	cca (Pro	att (Glu	cat His 175	gca i	tct Ser	ttt a Phe l	Lys i	gat (Asp (180	caa (Gln (caa Gln	gaa Glu	3674
gtc q Val \	gtc Val 185	aaa (Lys)	atg (Met)	gat Asp	Lys	tgt Cys 190	agt Ser	ctt Leu	gtc Val	Asn .	aga Arg 195	att (Ile)	aaa Lys	aat Asn	tat Tyr	3722
ctt : Leu : 1200	Lys	aat Asn	aat Asn	Pro	aca Thr 205	tgat	gtaa	iga t	aaat	atat	a tt	tcta	aaat			3770
tatt	tttt	tt t	tata	cttt	a at	gtgt	acaa	a taa	aata	tat	atct	aaat	at a	tttt	atttg	3830
tacg	cttt	tt t	tttt	tttt	t tt	taat	tgtt	att	tttg	gtat	at					3872
<210 <211 <212 <213	> 12 > PF	205 RT	dium	i fal	lcipa	arum										
<400	> 4															
Met 1	Ile	Phe	Asn	Tyr 5	Val	Phe	Phe	Lys	Asn 10	Phe	Val	Pro	Val	Val 15	Leu	
1	Ile			5					10					15	Leu Lys	
1 -Tyr	Ile Ile	Leu	Leu 20	.Ile	Ile	Tyr	Ile	Asn 25 Tyr	10 Leu	·Asn	Gly	Met∙	Asn 30	Asn	Lys	
1 -Tyr Asn	Ile Ile Gln	Leu Ile 35 Lys	Leu 20 Lys	Ile Thr	Ile	Tyr Lys	Ile Ile 40 Ser	Asn 25 Tyr	10 Leu	Asn	Gly Lys	Met Leu 45	Asn 30 Asn	Asn Arg	Lys Leu	
1 Tyr Asn Ser	Ile Ile Gln Arg 50	Lys	Leu 20 Lys Asn	5 Ile Thr	Ile Glu Leu	Tyr Lys Cys 55	Ile Ile 40 Ser	Asn 25 Tyr Ser	10 Leu Ile Lys	Asn Lys Asn	Gly Lys Lys 60	Met Leu 45	Asn 30 Asn Ala	Asn Arg Cys	Lys Leu	
Tyr Asn Ser Phe 65	Ile Ile Gln Arg 50 Asp	Leu Ile 35 Lys	Leu 20 Lys Asn Gly	Ile Thr Ser	Ile Glu Leu Asp 70	Tyr Lys Cys 55 Asp	Ile Ile 40 Ser	Asn 25 Tyr Ser Arg	Leu Lys Asn	Asn Lys Asn Thr 75 Leu	Gly Lys 60 Thr	Met Leu 45 Ile	Asn 30 Asn Ala Gly	Asn Arg Cys	Lys- Leu Leu Asn 80	
Tyr Asn Ser Phe 65 Val	Ile Ile Gln Arg 50 Asp	Leu Ile 35 Lys Val	Leu 20 Lys Asn Gly	Ile Thr Ser Asn 85	Ile Glu Leu Asp 70	Tyr Lys S S Asp	Ile 40 Ser Asn	Asn 25 Tyr Ser Arg	Leu Lys Asn Ser 90 Lys	Asn Lys Asn Thr 75 Leu	Gly Lys 60 Thr	Met Leu 45 Ile Tyr	Asn 30 Asn Ala Gly	Asn Arg Cys Tyr Asn 95 Val	Lys- Leu Leu Asn 80	

Gln Lys Glu Asn Glu Gln Lys Arg Asn Lys Gln Arg Cys Leu Thr Gln Cys His Thr Tyr Asn Met Ser His Glu Gln Asp Lys Leu Ala Asn Asp Asn Asn Arg Asn Asn Lys Lys Asn Phe Asn Leu Leu Phe Ile Asn Tyr - 170 Phe Asn Leu Lys Arg Met Lys Asn Ser Leu Leu Asn Lys Asp Asn Phe Phe Tyr Cys Lys Glu Lys Lys Leu Ser Phe Leu His Lys Ala Tyr Lys Lys Lys Asn Cys Thr Phe Gln Asn Tyr Ser Leu Lys Arg Lys Ser Asn Arg Asp Ser His Lys Leu Phe Ser Gly Glu Phe Asp Asp Tyr Thr Asn Asn Asn Ala Leu Tyr Glu Ser Glu Lys Lys Glu Tyr Ile Thr Leu Asn Asn Asn Asn Lys Asn Asn Asn Asn Lys Asn Asn Asn Asn Asn Asp Asn Asn Asp Tyr Asn Asn Asn Ser Cys Asn Asn Leu Gly Glu Arg Ser Asn His Tyr Asp Asn Tyr Gly Gly Asp Asn Asn Asn Pro Cys Asn Asn Asn Asn Asp Lys Tyr Asp Ile Gly Lys Tyr Phe Lys Gln Ile Asn Thr Phe Ile Asn Ile Asp Glu Tyr Lys Thr Ile Tyr Gly Asp Glu - 325 Ile Tyr Lys Glu Ile Tyr Glu Leu Tyr Val Glu Arg Asn Ile Pro Glu Tyr Tyr Glu Arg Lys Tyr Phe Ser Glu Asp Ile Lys Lys Ser Val Leu Phe Asp Ile Asp Lys Tyr Asn Asp Val Glu Phe Glu Lys Ala Ile Lys Glu Glu Phe Ile Asn Asn Gly Val Tyr Ile Asn Asn Ile Asp Asn Thr Tyr Tyr Lys Lys Glu Asn Ile Leu Ile Met Lys Lys Ile Leu His Tyr Phe Pro Leu Lys Leu Ile Asn Asn Pro Ser Asp Leu Lys Lys Leu

Lys Lys Gln Tyr Leu Pro Leu Leu Ala His Glu Leu Lys Ile Phe Leu Phe Phe Ile Val Asn Ile Thr Gly Gly His Phe Ser Ser Val Leu Ser Ser Leu Glu Ile Gln Leu Leu Leu Tyr Ile Phe Asn Gln Pro Tyr Asp Asn Val Ile Tyr Asp Ile Gly His Gln Ala Tyr Val His Lys Ile Leu Thr Gly Arg Lys Leu Leu Phe Leu Ser Leu Arg Asn Lys Lys Gly Ile Ser Gly Phe Leu Asn Ile Phe Glu Ser Ile Tyr Asp Lys Phe Gly Ala Gly His Ser Ser Thr Ser Leu Ser Ala Ile Gln Gly Tyr Tyr Glu Ala Glu Trp Gln Val Lys Asn Lys Glu Lys Tyr Gly Asn Gly Asp Ile Glu Ile Ser Asp Asn Ala Asn Val Thr Asn Asn Glu Arg Ile Phe Gln 565 · Lys Gly Ile His Asn Asp Asn Asn Ile Asn Asn Ile Asn Asn Asn Asn Tyr Ile Asn Pro Ser Asp Val Val Gly Arg Glu Asn Thr Asn Val Pro Asn Val Arg Asn Asp Asn His Asn Val Asp Lys Val His Ile Ala Ile Ile Gly Asp Gly Gly Leu Thr Gly Gly Met Ala Leu Glu Ala Leu Asn Tyr Ile Ser Phe Leu Asn Ser Lys Ile Leu Ile Ile Tyr Asn Asp Asn Gly Gln Val Ser Leu Pro Thr Asn Ala Val Ser Ile Ser Gly Asn Arg Pro Ile Gly Ser Ile Ser Asp His Leu His Tyr Phe Val Ser Asn Ile Glu Ala Asn Ala Gly Asp Asn Lys Leu Ser Lys Asn Ala Lys Glu Asn Asn Ile Phe Glu Asn Leu Asn Tyr Asp Tyr Ile Gly Val Val Asn Gly Asn Asn Thr Glu Glu Leu Phe Lys Val Leu Asn Asn Ile Lys Glu

- Asn Lys Leu Lys Arg Ala Thr Val Leu His Val Arg Thr Lys Lys Ser Asn Asp Phe Ile Asn Ser Lys Ser Pro Ile Ser Ile Leu His Ser Ile
- Lys Lys Asn Glu Ile Phe Pro Phe Asp Thr Thr Ile Leu Asn Gly Asn
- Ile His Lys Glu Asn Lys Ile Glu Glu Glu Lys Asn Val Ser Ser Ser
- Thr Lys Tyr Asp Val Asn Asn Lys Asn Asn Lys Asn Asn Asp Asn Ser
- Glu Ile Ile Lys Tyr Glu Asp Met Phe Ser Lys Glu Thr Phe Thr Asp
- Ile Tyr Thr Asn Glu Met Leu Lys Tyr Leu Lys Lys Asp Arg Asn Ile
- Ile Phe Leu Ser Pro Ala Met Leu Gly Gly Ser Gly Leu Val Lys Ile
- Ser Glu Arg Tyr Pro Asn Asn Val Tyr Asp Val Gly Ile Ala Glu Gln
- His Ser Val Thr Phe Ala Ala Ala Met Ala Met Asn Lys Lys Leu Lys
- Ile Gln Leu Cys Ile Tyr Ser Thr Phe Leu Gln Arg Ala Tyr Asp Gln
- Ile Ile His Asp Leu Asn Leu Gln Asn Ile Pro Leu Lys Val Ile Ile
- Gly Arg Ser Gly Leu Val Gly Glu Asp Gly Ala Thr His Gln Gly Ile
- Tyr Asp Leu Ser Tyr Leu Gly Thr Leu Asn Asn Ala Tyr Ile Ile Ser
- Pro Ser Asn Gln Val Asp Leu Lys Arg Ala Leu Arg Phe Ala Tyr Leu
- Asp Lys Asp His Ser Val Tyr Ile Arg Ile Pro Arg Met Asn Ile Leu
- Ser Asp Lys Tyr Met Lys Gly Tyr Leu Asn Ile His Met Lys Asn Glu
- Ser Lys Asn Ile Asp Val Asn Val Asp Ile Asn Asp Asp Val Asp Lys
- Tyr Ser Glu Glu Tyr Met Asp Asp Asp Asn Phe Ile Lys Ser Phe Ile

Gly Lys Ser Arg Ile Ile Lys Met Asp Asn Glu Asn Asn Asn Thr Asn 1045 1050 1055

Glu His Tyr Ser Ser Arg Gly Asp Thr Gln Thr Lys Lys Lys Val 1060 1065 1070

Cys Ile Phe Asn Met Gly Ser Met Leu Phe Asn Val Ile Asn Ala Ile 1075 1080 1085

Lys Glu Ile Glu Lys Glu Gln Tyr Ile Ser His Asn Tyr Ser Phe Ser 1090 1095 1100

Ile Val Asp Met Ile Phe Leu Asn Pro Leu Asp Lys Asn Met Ile Asp 105 1110 1115 1120

His Val Ile Lys Gln Asn Lys His Gln Tyr Leu Ile Thr Tyr Glu Asp 1125 1130 1135

Asn Thr Ile Gly Gly Phe Ser Thr His Phe Asn Asn Tyr Leu Ile Glu 1140 1145 1150

Asn Asn Tyr Ile Thr Lys His Asn Leu Tyr Val His Asn Ile Tyr Leu 1155 1160 1165

Ser Asn Glu Pro Ile Glu His Ala Ser Phe Lys Asp Gln Gln Glu Val 1170 1175 1180 .

Val Lys Met Asp Lys Cys Ser Leu Val Asn Arg Ile Lys Asn Tyr Leu 185 1190 1195 1200

Lys Asn Asn Pro Thr 1205

<210> 5

<211> 3147

<212> DNA

<213> Plasmodium falciparum

<220>

<221> CDS

<222> (199)..(2670)

<400> 5

tatatttgat atatgattta aaattgtaac ataaaaaaaa taattatatt aaatatgtgt 120

tgcctgaata accacaaa atg agt tat ata aaa aga ctg att ctt ttt atg 231

Met Ser Tyr Ile Lys Arg Leu Ile Leu Phe Met

1 5 10

tta ctg ttt tat tct cat gta aaa att aaa aaa tta ttt att aaa att 279 Leu Leu Phe Tyr Ser His Val Lys Ile Lys Lys Leu Phe Ile Lys Ile 15 20 25

tct Ser	aat Asn	gta Val 30	aac Asn	ata Ile	ttt Phe	ttt Phe	gca Ala 35	gaa Glu	gca Ala	aag Lys	aaa Lys	aat Asn 40	gga Gly	aaa Lys	aag Lys	327
gaa Glu	Phe 45	ttt Phe	ctt Leu	ttt Phe	tta Leu	cta Leu 50	aat Asn	ata Ile	aaa Lys	aaa Lys	aat Asn 55	agc Ser	caa Gln	cag Gln	aaa Lys	375
aaa Lys 60	act Thr	tat Tyr	cat His	att Ile	acc Thr 65	aaa Lys	agg Arg	aat Asn	acc Thr	ata Ile 70	aat Asn	aaa Lys	agt Ser	gat Asp	ttt Phe 75	423
tta Leu	tat Tyr	tct Ser	tta Leu	cta Leu 80	aat Asn	gaa Glu	gaa Glu	Gly ggg	aat Asn 85	tct Ser	tca Ser	aaa Lys	aag Lys	gaa Glu 90	tat Tyr	471
aaa Lys	aat Asn	tta Leu	aaa Lys 95	gat Asp	gaa Glu	gaa Glu	aaa Lys	tat Tyr 100	aat Asn	atc Ile	ata Ile	caa Gln	aat Asn 105	ata Ile	aaa Lys	519
aaa Lys	tat Tyr	tgt Cys 110	gaa Glu	tgt Cys	act Thr	aaa Lys	aaa Lys 115	tat Tyr	aaa Lys	agg Arg	ctc Leu	cca Pro 120	aca Thr	cga Arg	gaa Glu	567
gta Val	gtt Val 125	att Ile	gga Gly	aat Asn	gtt Val	aaa Lys 130	att Ile	gga Gly	gga Gly	aat Asn	aat Asn 135	aaa Lys	ata Ile	gct Ala	att Ile	615
caa Gln 140	Thr	atg Met	gct Ala	agc Ser	tgt Cys 145	Asp	aca Thr	aga Arg	aat Asn	gta Val 150	Glu	gaa Glu	tgt Cys	gta Val	tat Tyr 155	663
caa Gln	att Ile	aga Arg	aaa Lys	tgt Cys 160	Lys	gat Asp	ttg Leu	ggt Gly	gct Ala 165	Asp	att Ile	gta Val	agg Arg	ttg Leu 170	act Thr	711
Val	~Gln	Gly	Val	caa Gln	Glu	Ala	Gln	Ala	Ser	Tyr	His	Ile	Lys	Glu	aaa 'Lys	759
tta Leu	tta Leu	tct Ser 190	Glu	aat Asn	gta Val	aat Asn	atc Ile 195	Pro	tta Leu	gta Val	gca Ala	gat Asp 200	Ile	cat His	ttt Phe	807
aat Asn	cct Pro 205	Lys	ata Ile	gct Ala	tta Leu	atg Met 210	Ala	gct Ala	gat Asp	gtg Val	Phe 215	Glu	aaa Lys	att Ile	cga Arg	855
gtg Val 220	Asn	cca Pro	gga Gly	aat Asn	tat Tyr 225	Val	gat Asp	gga Gly	aga Arg	aaa Lys 230	Lys	tgg Trp	ata Ile	gat Asp	aaa Lys 235	903
gtt Val	tat Tyr	aaa Lys	aot Thr	Lys 240	Glu	gaa Glu	ttt Phe	gat Asp	gaa Glu 245	Gly	aaa Lys	tta Leu	ttt Phe	ata Ile 250	aaa Lys	951

- 17 -

gaa Glu	aaa Lys	ttt Phe	gta Val 255	cca Pro	tta Leu	att Ile	Glu	aaa Lys 260	tgt Cys	aaa Lys	aga Arg	tta Leu	aat Asn 265	aga Arg	gca Ala	999
ata Ile	aga 'Arg'	att Tle 270	gga Gly	aca Thr	aat Asn	cat His	gga Gly 275	tcc Ser	ctt Leu	tca Ser	tct Ser	cga Arg 280	gta Val	tta Leu	tca Ser	1047
tat Tyr	tat Tyr 285	gga Gly	gat Asp	aca Thr	cca Pro	tta Leu 290	ggt Gly	atg Met	gta Val	gaa Glu	tcg Ser 295	gct Ala	ttt Phe	gag Glu	ttt Phe	1095
tct Ser 300	gat Asp	tta Leu	tgt Cys	att Ile	gaa Glu 305	aac Asn	aat Asn	ttt Phe	tac Tyr	aat Asn 310	ctt Leu	gtt Val	ttt Phe	tct Ser	atg Met 315	1143
aaa Lys	gct	tct Ser	aat Asn	gct Ala 320	tat Tyr	gtt Val	atg Met	ata Ile	caa Gln 325	tct Ser	tat Tyr	aga Arg	tta Leu	tta Leu 330	gta Val	1191
tct Ser	aaa Lys	caa' Gln	tat Tyr 335	Glu	aga Arg	aat Asn	atg Met	atg Met 340	ttc Phe	cct Pro	ata Ile	cat His	tta Leu 345	gga Gly	gtt Val	1239
aca Thr	gaa Glu	gca Ala 350	Gly	ttt Phe	ggt Gly	gat Asp	aat Asn 355	gga Gly	aga Arg	ata Ile	aaa Lys	tct Ser 360	tat Tyr	tta Leu	ggt Gly	1287
ata Ile	gga Gly 365	tct Ser	tta Leu	tta Leu	tat Tyr	gat Asp 370	Gly	ata Ile	gga Gly	gat Asp	acc Thr 375	Ile	cgt Arg	ata Ile	tcc Ser	1335
Leu 380	Thr	Glu	Asp	Pro	Trp 385	Glu	Glu	Leu	Thr	Pro 390	Cys	Lys	Lys	Leu	Val 395	1383
gaa Glu	Asn	Leu	Lys	aaa Lys 400	Arg	ata Ile	ttt Phe	tat Tyr	aat Asn 405	Glu	aat Asn	ttt Phe	aaa Lys	gaa Glu 410	gat Asp	1431
aat Asn	gaa Glu	tta Leu	aaa Lys 415	Asn	aat Asn	gaa Glu	atg Met	gat Asp 420	Thr	aaa Lys	aat Asn	cta Leu	Leu 425	Asn	ttt Phe	1479
gaa Glu	gaa Glu	aat Asn 430	Tyr	cga Arg	aat Asn	ttt Phe	aat Asn 435	Asn	ata Ile	aaa Lys	aaa Lys	aga Arg 440	Asn	gta Val	gaa Glu	1527
aaa Lys	aat Asn 445	Asr	aat Asn	gta Val	tta Lev	cat His 450	Glu	gag Glu	tgc Cys	act Thr	ata 11e 455	e Gly	: aat / Asr	gta Val	gta Val	1575
Thr 460	Ile	aaa Lys	gag Glu	g tta 1 Lev	gaa Glu 465	a Asp	tct Ser	cto Leu	g caa glr	att i Ile 470	Phe	aaa Lys	n gat s Asp	tta Lei	a aat a Asn 475	1623

- 18 -

	-	_	_				aat Asn									1671
_	_	-				_	ttt Phe									1719
			-				caa Gln 515				•					1767
	_					_	ttt Phe									1815
							aat Asn									1863
				_			tca Ser									1911
				Gly			tta Leu									1959
					_		aat Asn 595									2007
							cat His									2055
	Leu	Leu	Gln	Ser	Leu	Asn	ata Ile	Asn	Ile	Pro	Tyr	Ile	His	Tyr	Val	2103
_							gat Asp									2151
	_		_	Cys	_	-	gat Asp		Met	_	_				_	2199
	_		Asn	_			aca Thr 675	Asn			_		Glu			2247
	_	Ğlu		_	_	_	gag Glu	_				Asn		_		2295

- 19 -

	cat His 700	aga Arg	ctt Leu	ttg Leu	agc Ser	aga Arg 705	gtt Val	gca Ala	tta Leu	aat Asn	tca. Ser 710	ttt Phe	tta Leu	aca Thr	tta Leu		2343
	att Ile	tta 'Leu'	caa Gln	gat Asp	aca Thr 720	aga Arg	ata Tle	cgt Arg	tta Leu	ttt Phe 725	aaa Lys	aca Thr	gat "Asp	tat Tyr	ata Ile 730	gcc Ala	2391
	tgc Cys	cca Pro	tct Ser	tgt Cys 735	gga Gly	aga Arg	act Thr	tta Leu	ttt Phe 740	aat Asn	ata Ile	caa Gln	gaa Glu	act Thr 745	act Thr		2439
	aaa Lys	att Ile	atg Met 750	Lys	tta Leu	aca Thr	ggg	cac His 755	tta Leu	aaa Lys	Gly	gtt Val	aaa Lys 760	116	gca Ala	gtc Val	2487
÷ .	atg Met	gga Gly ·765	Cys	att Ile	gtt Val	aat Asn	ggt Gly 770	ata Ile	gga Gly	gaa Glu	atg Met	gca Ala 775	Asp	gca	cat His	ttt Phe	2535
	ggt Gly 780	Tyr	gtt Val	ggt Gly	agt Ser	gca Ala 785	Pro	aaa Lys	aaa Lys	att Ile	gat Asp 790	Leu	tat Tyr	tat Tyr	ggt Gly	aaa Lys 795	2583
	gag Glu	tta Leu	gta Val	gaa Glu	aga Arg 800	Asn	ata Ile	cct Pro	gag Glu	gaa Glu 805	Glu	gct Ala	tgt Cys	gat Asp	aaa Lys 810	ttg Leu	2631
	Ile	Glu	ı Lev	815	Lys	Lys	His	Asn	820	Trp) Lys	. Asp	Pro		attg		2680
	ato	ggaca	agt	attt	attt	at t	tatt	tato	t ta	tata	taat	ata	attat	aaa	tttt	tcgatg	2740
	tat	tttt	cct	ttta	aaat	tt t	attt	tttt	t tt	attt	tttt	ttt	tgaa	agta	atat	ttataa	2800
	tgo	cata	cata	atat	taaa	aat q	gtgta	ttat	a ta	ataa	atato	c ati	tttat	ttgt	tati	ttaaaa	2860
	···ga	ctaai	tacc	aaga	aacaa	att d	tttt	ataa	at ca	attci	ttata	a ac	ttgti	taaa	·tata	atatata	2920
	tai	tata	tata	tati	ttati	tta 1	tttat	attt	a ta	attta	attta	a tt	tttg	gtat	atg	aaaagta	a 2980
	aaa	aata	taat	aat	ttaa	aag 1	tatti	cacaa	aa at	taaa	taata	a tt	atat	atct	gtt	ttatat	3040
	at	atgt	taat	gga	aaag	gag	aaaat	taaat	ta a	ataa	aaca	a ac	aaaa	taac	ata	tatata	3100
	at	atat	atat	act	gaat	gag	aaaga	aaaa	aa a	aaag	aaaa	g ga	tacg	a			3147
				•		•											

<210> 6 <211> 824

<212> PRT <213> Plasmodium falciparum

His Val Lys Ile Lys Lys Leu Phe Ile Lys Ile Ser Asn Val Asn Ile Phe Phe Ala Glu Ala Lys Lys Asn Gly Lys Lys Glu Phe Phe Leu Phe Leu Leu Asn Ile Lys Lys Asn Ser Gln Gln Lys Lys Thr Tyr His Ile Thr Lys Arg Asn Thr Ile Asn Lys Ser Asp Phe Leu Tyr Ser Leu Leu Asn Glu Glu Gly Asn Ser Ser Lys Lys Glu Tyr Lys Asn Leu Lys Asp Glu Glu Lys Tyr Asn Ile Ile Gln Asn Ile Lys Lys Tyr Cys Glu Cys Thr Lys Lys Tyr Lys Arg Leu Pro Thr Arg Glu Val Val Ile Gly Asn Val Lys Ile Gly Gly Asn Asn Lys Ile Ala Ile Gln Thr Met Ala Ser Cys Asp Thr Arg Asn Val Glu Glu Cys Val Tyr Gln Ile Arg Lys Cys Lys Asp Leu Gly Ala Asp Ile Val Arg Leu Thr Val Gln Gly Val Gln Glu Ala Gln Ala Ser Tyr His Ile Lys Glu Lys Leu Leu Ser Glu Asn Val Asn Ile Pro Leu Val Ala Asp Ile His Phe Asn Pro Lys Ile Ala Leu Met Ala Ala Asp Val Phe Glu Lys Ile Arg Val Asn Pro Gly Asn Tyr Val Asp Gly Arg Lys Lys Trp Ile Asp Lys Val Tyr Lys Thr Lys Glu Glu Phe Asp Glu Gly Lys Leu Phe Ile Lys Glu Lys Phe Val Pro Leu Ile Glu Lys Cys Lys Arg Leu Asn Arg Ala Ile Arg Ile Gly Thr Asn His Gly Ser Leu Ser Ser Arg Val Leu Ser Tyr Tyr Gly Asp Thr Pro Leu Gly Met Val Glu Ser Ala Phe Glu Phe Ser Asp Leu Cys Ile Glu Asn Asn Phe Tyr Asn Leu Val Phe Ser Met Lys Ala Ser Asn Ala Tyr Val Met Ile Gln Ser Tyr Arg Leu Leu Val Ser Lys Gln Tyr Glu

- 21 -

Arg Asn Met Met Phe Pro Ile His Leu Gly Val Thr Glu Ala Gly Phe 35.0 Gly Asp Asn Gly Arg lie Lys Ser Tyr Leu Gly lie Gly Ser Leu Leu Tyr Asp Gly Ile Gly Asp Thr Ile Arg Ile Ser Leu Thr Glu Asp Pro Trp Glu Glu Leu Thr Pro Cys Lys Lys Leu Val Glu Asn Leu Lys Lys Arg Ile Phe Tyr Asn Glu Asn Phe Lys Glu Asp Asn Glu Leu Lys Asn Asn Glu Met Asp Thr Lys Asn Leu Leu Asn Phe Glu Glu Asn Tyr Arg Asn Phe Asn Asn Ile Lys Lys Arg Asn Val Glu Lys Asn Asn Asn Val Leu His Glu Glu Cys Thr Ile Gly Asn Val Val Thr Ile Lys Glu Leu 450 -Glu Asp Ser Leu Gln Ile Phe Lys Asp Leu Asn Leu Glu Val Asp Ser Asn Gly Asn Leu Lys Lys Gly Ala Lys Thr Thr Asp Met Val Ile Ile Asn Asp Phe His Asn Ile Thr Asn Leu Gly Lys Lys Thr Val Asp Lys Leu Met Gln Val Gly Ile Asn Ile Val Val Gln Tyr Glu Pro His Asn Ile Glu Phe Ile Glu Lys Met Glu Pro Asn Asn Asn Asn Asn Asn 5.35 Asn Asn Asn Asn Ile Leu Phe Tyr Val Asp Ile Lys Asn Ile Met Asn Ser Ser Glu Lys Asn Ile Lys Leu Ser Asn Ser Lys Gly Tyr Gly Leu Ile Leu Asn Gly Lys Glu Asp Ile Gln Thr Ile Lys Lys Ile Lys Glu Leu Asn Arg Arg Pro Leu Phe Ile Leu Leu Lys Ser Asp Asn Ile Tyr Glu His Val Leu Ile Thr Arg Arg Ile Asn Glu Leu Leu Gln Ser Leu Asn Ile Asn Ile Pro Tyr Ile His Tyr Val Asp Ile Asn Ser Asn

Asn Tyr Asp Asp Ile Leu Val Asn Ser Thr Leu Tyr Ala Gly Ser Cys 645 650 655

Leu Met Asp Leu Met Gly Asp Gly Leu Ile Val Asn Val Thr Asn Asp 660 665 670

Val Leu Thr Asn Lys Lys Lys Ile Glu Thr Lys Tyr Asp Glu Lys Glu 675 680 685

Glu Val Glu Glu Glu Gly Asn Asn Lys Asp Ile His Arg Leu Leu Ser 690 695 700

Arg Val Ala Leu Asn Ser Phe Leu Thr Leu Asn Ile Leu Gln Asp Thr 705 710 715 720

Arg Ile Arg Leu Phe Lys Thr Asp Tyr Ile Ala Cys Pro Ser Cys Gly 725 730 735

Arg Thr Leu Phe Asn Ile Gln Glu Thr Thr Lys Lys Ile Met Lys Leu 740 745 750

Thr Gly His Leu Lys Gly Val Lys Ile Ala Val Met Gly Cys Ile Val 755 760 765

Asn Gly Ile Gly Glu Met Ala Asp Ala His Phe Gly Tyr Val Gly Ser 770 775 780

Ala Pro Lys Lys Ile Asp Leu Tyr Tyr Gly Lys Glu Leu Val Glu Arg
785 790 795 800

Asn Ile Pro Glu Glu Glu Ala Cys Asp Lys Leu Ile Glu Leu Ile Lys 805 810 815

Lys His Asn Lys Trp Lys Asp Pro 820